

## FIRE LABORATORIES

### approved by CERTIFER to perform tests according to EN 45545-2

CERTIFER quoted only tests on which laboratories listed below participated at least to one of the 3 last CERTIFER's round-robins, called 'Eurocomparison'.

**Quality:** ★ = ISO17025 ministerial approval; ★★ = ISO17025 accreditation, on other tests; ★★★ = ISO17025 accreditation, covering the test. **ACCREDITATIONS GRANTED BY IAF/ILAC/EA MEMBERS ONLY**

**Results:** ★ = participation to the 2012 Eurocomparison ; ★★ = participation to the 2013 Eurocomparison ; ★★★ = success in the last Eurocomparison (2014).

Last update : 05 Feb 2015

#### EN 45545 -2 tests covered by CERTIFER approval

	Oxygen Index ISO 4589-2	CFE ISO 5658-2	CHF ISO 9239-1	MARHE ISO 5660-1	Dsm / Ds(4) ISO 5659-2	VOF4 ISO 5659-2	CIT (FTIR) EN 45545-2 appC
<b>AITEX</b> Plaza Emilio Sala, 1, 03801 Alcoy <b>SPAIN</b> <a href="mailto:JFerri@aitex.es">JFerri@aitex.es</a> Tel : +34 965542200	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★ Results ★★★
<b>BASF</b> G-KTF/EG - A521 67056 LUDWIGSHAFEN <b>DEUTSCHLAND</b> <a href="mailto:rolf.henn@basf.com">rolf.henn@basf.com</a> Tel : +49 621 60 40446 Fax : +49 621 60 66 40446	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>BRE</b> Bucknalls Lane, Garston, Watford, Herts, WD25 9XX <b>UNITED KINGDOM</b> <a href="mailto:HunterJ@bre.co.uk">HunterJ@bre.co.uk</a> Tel : +44 (0)1923 664 000 Fax : +44 (0)1923 664910	Quality ★★★ Results ★	Quality ★★★ Results ★	-	Quality ★★★ Results ★	Quality ★★★ Results ★	Quality ★★★ Results ★	Quality ★★★ Results ★
<b>CENTEXBEL</b> Technologiepark 7 9052 ZWIJNAARDE <b>BELGIUM</b> <a href="http://www.centexbel.be">www.centexbel.be</a> <a href="mailto:Nathan.DeKock@centexbel.be">Nathan.DeKock@centexbel.be</a> Tel : +32 9 220 41 51 Fax : +32 9 220 49 55	Quality ★★ Results ★★★	-	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	-
<b>CREPIM</b> Rue Christophe Colomb, Parc de la Porte Nord F-62700 BRUAY LA BUISSIÈRE <b>FRANCE</b> <a href="mailto:contact@crepim.fr">contact@crepim.fr</a> Tel : +333 21 61 64 00 Fax : +333 21 61 64 01	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★

## FIRE LABORATORIES

### approved by CERTIFER to perform tests according to EN 45545-2

CERTIFER quoted only tests on which laboratories listed below participated at least to one of the 3 last CERTIFER's round-robins, called 'Eurocomparison'.

**Quality:** ★ = ISO17025 ministerial approval; ★★ = ISO17025 accreditation, on other tests; ★★★ = ISO17025 accreditation, covering the test. **ACCREDITATIONS GRANTED BY IAF/ILAC/EA MEMBERS ONLY**

**Results:** ★ = participation to the 2012 Eurocomparison ; ★★ = participation to the 2013 Eurocomparison ; ★★★ = success in the last Eurocomparison (2014).

Last update : 05 Feb 2015

#### EN 45545 -2 tests covered by CERTIFER approval

	Oxygen Index ISO 4589-2	CFE ISO 5658-2	CHF ISO 9239-1	MARHE ISO 5660-1	Dsm / Ds(4) ISO 5659-2	VOF4 ISO 5659-2	CIT (FTIR) EN 45545-2 appC
<b>CSI</b> Viale Lombardia, 20 I-20021 BOLLATE (MI) <b>ITALY</b> <a href="mailto:LorenzoZavaglio@csi-spa.com">LorenzoZavaglio@csi-spa.com</a> Tel : 0039 0238 330 297 Fax : 0039 0238 330 258	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>CURRENTA GmbH &amp; Co. OHG</b> ANT / Brandtechnologie, CHEMPARK, Geb. B411 D-51368 Leverkusen <b>DEUTSCHLAND</b> <a href="http://www.en45545.eu">www.en45545.eu</a> <a href="mailto:michael.halfmann@currenta.de">michael.halfmann@currenta.de</a> Tel: +49 214 30 34416 Fax: +49 214 30 96 34416	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>DB Systemtechnik GmbH</b> Bahntechnikerring 74, 14774 Brandenburg-Kirchmöser <b>GERMANY</b> <a href="mailto:Andreas.Boettger@deutschebahn.com">Andreas.Boettger@deutschebahn.com</a> Tel : 03381 / 812-574 Fax : 03381 / 812-222	-	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>DBI</b> Jernholmen 12 2650 HVIDOVRE <b>DENMARK</b> <a href="http://en.dbi-net.dk">http://en.dbi-net.dk</a> <a href="mailto:dbi@dbi-net.dk">dbi@dbi-net.dk</a> Tel : 36 34 90 00 Fax : 36 34 90 01	Quality ★★★ Results ★	-	-	-	Quality ★★★ Results ★	Quality ★★★ Results ★	Quality ★★★ Results ★
<b>DMT</b> Building Safety - Test Body for Fire Protection Tremoniastraße 13, D-44137 Dortmund <b>GERMANY</b> <a href="mailto:Matthias.Mueller@dm-group.com">Matthias.Mueller@dm-group.com</a> Tel : +49 231 5333 221 Fax : + 49 231 5333 297	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	-	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★

CERTIFER quoted only tests on which laboratories listed below participated at least to one of the 3 last CERTIFER's round-robins, called 'Eurocomparison'.

**Quality:** ★ = ISO17025 ministerial approval; ★★ = ISO17025 accreditation, on other tests; ★★★ = ISO17025 accreditation, covering the test. **ACCREDITATIONS GRANTED BY IAF/ILAC/EA MEMBERS ONLY**

**Results:** ★ = participation to the 2012 Eurocomparison ; ★★ = participation to the 2013 Eurocomparison ; ★★★ = success in the last Eurocomparison (2014).

Last update : 05 Feb 2015

**EN 45545 -2 tests covered by CERTIFER approval**

	Oxygen Index ISO 4589-2	CFE ISO 5658-2	CHF ISO 9239-1	MARHE ISO 5660-1	Dsm / Ds(4) ISO 5659-2	VOF4 ISO 5659-2	CIT (FTIR) EN 45545-2 appC
<b>EXOVA WARRINGTONFIRE</b> Holmesfield Road WARRINGTON - CHESHIRE WA1 2DS <a href="mailto:Tracy.Mort@Exova.com">Tracy.Mort@Exova.com</a> <b>UNITED KINGDOM</b> Tel : +441925 655 116 Fax : +441925 655 419	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>GAIKER Centro Tecnológico</b> Parque Tecnológico Edif. 202 48170 ZAMUDIO <b>SPAIN</b> <a href="mailto:zuazola@gaiker.es">zuazola@gaiker.es</a> Tel : 00 34 94 600 23 23 Fax : 00 34 94 600 23 24	-	Quality ★★★ Results ★★★	-	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>HERAKLES (former SNPE / SME - SAFRAN)</b> Centre de recherche de Bouchet BP 2 Le Bouchet F-91710 VERT LE PETIT <b>FRANCE</b> <a href="mailto:hks.crb.labo.feu@herakles.com">hks.crb.labo.feu@herakles.com</a> Tel : +33 (0)1 64 99 14 51 Fax : +33 (0)1 64 99 14 14	Quality ★★★ Results ★★★	-	Quality ★★★ Results ★★★	Quality ★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★ Results ★★★
<b>IFTH</b> Avenue Guy de Collongue 69134 ECULLY CEDEX <b>FRANCE</b> <a href="mailto:jmoraison@ifth.org">jmoraison@ifth.org</a> Tel : 0033 (0)4 72 86 16 23 Fax : 0033 (0)4 78 43 39 66	Quality ★★★ Results ★★★	-	Quality ★★★ Results ★★★	Quality ★★ Results ★★★	Quality ★★ Results ★★★	Quality ★★ Results ★★★	-
<b>IK (Instytut Kolejnictwa)</b> Railway Scientific and Technical Center ul. Chłopickiego, 50 04-275 WARSZAWA <b>POLAND</b> <a href="mailto:jradziszewska-wolinska@ikolej.pl">jradziszewska-wolinska@ikolej.pl</a> Tel : +48 610 08 68 Fax : +48 610 75 97	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★ Results ★★★	Quality ★★ Results ★★★	Quality ★★ Results ★★★

## FIRE LABORATORIES

### approved by CERTIFER to perform tests according to EN 45545-2

CERTIFER quoted only tests on which laboratories listed below participated at least to one of the 3 last CERTIFER's round-robins, called 'Eurocomparison'.

**Quality:** ★ = ISO17025 ministerial approval; ★★ = ISO17025 accreditation, on other tests; ★★★ = ISO17025 accreditation, covering the test. **ACCREDITATIONS GRANTED BY IAF/ILAC/EA MEMBERS ONLY**

**Results:** ★ = participation to the 2012 Eurocomparison ; ★★ = participation to the 2013 Eurocomparison ; ★★★ = success in the last Eurocomparison (2014).

Last update : 05 Feb 2015

#### EN 45545 -2 tests covered by CERTIFER approval

	Oxygen Index ISO 4589-2	CFE ISO 5658-2	CHF ISO 9239-1	MARHE ISO 5660-1	Dsm / Ds(4) ISO 5659-2	VOF4 ISO 5659-2	CIT (FTIR) EN 45545-2 appC																																																								
<b>ISSeP</b> Fire Laboratory Rue du Chera 200 B-4000 LIEGE <b>BELGIUM</b> <a href="mailto:st.desmet@issep.be">st.desmet@issep.be</a> Tel : +32 (0)4 2298222 Fax : +32 (0)4 2524665	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td></td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★		Results	★	★	★	-	-	-	-	-	-																																																
Quality	★	★																																																													
Results	★	★	★																																																												
<b>ISTITUTO GIORDANO</b> Via Rossini 2, 47814 Bellaria (RN) <b>ITALY</b> <a href="mailto:S.Segreteria@giordano.it">S.Segreteria@giordano.it</a> <a href="mailto:gtraina@giordano.it">gtraina@giordano.it</a> Tel : .+39 0541 - 343030/ 322349 Fax : .+39 0541-345540	-	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td></td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★		Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td></td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★		Results	★	★	★	-	-	-	-																																								
Quality	★	★																																																													
Results	★	★	★																																																												
Quality	★	★																																																													
Results	★	★	★																																																												
<b>JECTEC</b> JAPAN ELECTRIC CABLE TECHNOLOGY CENTER 1-4-4, Shin-miyakoda, Kita-ku, Hamamatsu-shi, Shizuoka, 431-2103 Japan <b>JAPAN</b> <a href="mailto:hayashi@jectec.or.jp">hayashi@jectec.or.jp</a> Tel : +81-53-428-4685 Fax : +81-53-428-4690	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td></td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★		Results	★	★	★	-	-	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td></td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★		Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td></td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★		Results	★	★	★	-																								
Quality	★	★																																																													
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★																																																													
Results	★	★	★																																																												
Quality	★	★																																																													
Results	★	★	★																																																												
<b>LAPI</b> 11, via della Quercia I-59100 PRATO <b>ITALY</b> <a href="mailto:massimo.borsini@laboratoriolapi.it">massimo.borsini@laboratoriolapi.it</a> <a href="mailto:lapi@laboratoriolapi.it">lapi@laboratoriolapi.it</a> Tel : .+39 0574 575320 Fax : .+39 0574 575323	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
<b>LNE</b> Direction des Essais - Département Comportement au Feu et Sécurité Incendie 29 avenue Roger Hennequin 78197 TRAPPES Cedex <b>FRANCE</b> <a href="mailto:info@lne.fr">info@lne.fr</a> Tel : +331 30 69 10 00 Fax : +331 30 69 12 34	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★	<table border="1"> <tr><td>Quality</td><td>★</td><td>★</td><td>★</td></tr> <tr><td>Results</td><td>★</td><td>★</td><td>★</td></tr> </table>	Quality	★	★	★	Results	★	★	★
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												
Quality	★	★	★																																																												
Results	★	★	★																																																												

## FIRE LABORATORIES

### approved by CERTIFER to perform tests according to EN 45545-2

CERTIFER quoted only tests on which laboratories listed below participated at least to one of the 3 last CERTIFER's round-robins, called 'Eurocomparison'.

**Quality:** ★ = ISO17025 ministerial approval; ★★ = ISO17025 accreditation, on other tests; ★★★ = ISO17025 accreditation, covering the test. **ACCREDITATIONS GRANTED BY IAF/ILAC/EA MEMBERS ONLY**

**Results:** ★ = participation to the 2012 Eurocomparison ; ★★ = participation to the 2013 Eurocomparison ; ★★★ = success in the last Eurocomparison (2014).

Last update : 05 Feb 2015

#### EN 45545 -2 tests covered by CERTIFER approval

	Oxygen Index ISO 4589-2	CFE ISO 5658-2	CHF ISO 9239-1	MARHE ISO 5660-1	Dsm / Ds(4) ISO 5659-2	VOF4 ISO 5659-2	CIT (FTIR) EN 45545-2 appC
<b>L.S.FIRE TESTING INSTITUTE</b> Via Bonifica, 4 64010 Controguerra <b>ITALY</b> <a href="mailto:labo@lsfire.it">labo@lsfire.it</a> Tel : +39 031 890375 Fax : +39 0861 870140	-	-	-	-	Quality ★ Results ★★ ★	Quality ★ Results ★★ ★	Quality ★ Results ★★ ★
<b>OFI Austrian Research Institute for Chemistry and Technology</b> Franz-Grill-Straße 5, Arsenal Objekt 213 1030 VIENNA <b>AUSTRIA</b> <a href="mailto:Michael.Bichler@ofi.at">Michael.Bichler@ofi.at</a> Tel : +43 1 798 1601 -0 Fax : +43 1 798 1601 -8	Quality ★★ ★ Results ★★	-	Quality ★★ ★ Results ★★	-	Quality ★★ ★ Results ★★	Quality ★★ ★ Results ★★	Quality ★★ ★ Results ★★
<b>PRYSMIAN</b> Laboratoire RL2 19, avenue de la Paix - BP 712 - Paron 89107 SENS Cedex <b>FRANCE</b> <a href="mailto:jacques.javaudin@prysmiangroup.com">jacques.javaudin@prysmiangroup.com</a> Tel : +333 86 95 56 88 Fax : +333 86 95 56 11	Quality ★★ ★ Results ★★	-	-	-	-	-	-
<b>RATP</b> HAL/LEM/Pôle physico-chimique 1 bis, rue des Sablons F-94470 BOISSY SAINT LEGER <b>FRANCE</b> <a href="mailto:david2.herrati@ratp.fr">david2.herrati@ratp.fr</a> Tel : +331 58 78 90 66 Fax : +331 58 78 90 41	Quality ★★ ★ Results ★★ ★	Quality ★★ ★ Results ★★ ★	-	Quality ★★ ★ Results ★★ ★	Quality ★★ ★ Results ★★ ★	Quality ★★ ★ Results ★★ ★	Quality ★★ ★ Results ★★ ★
<b>RESCOLL Technical Centre of Materials</b> 16 av. Pey Berland F-33607 PESSAC Cedex <b>FRANCE</b> <a href="mailto:jeremy.ditomaso@rescoll.fr">jeremy.ditomaso@rescoll.fr</a> Tel : +33 540 006 499 Fax : +33 540 002 841	Quality ★★ Results ★★	-	-	Quality ★★ Results ★★	Quality ★★ Results ★★	Quality ★★ Results ★★	-

## FIRE LABORATORIES

### approved by CERTIFER to perform tests according to EN 45545-2

CERTIFER quoted only tests on which laboratories listed below participated at least to one of the 3 last CERTIFER's round-robins, called 'Eurocomparison'.

**Quality:** ★ = ISO17025 ministerial approval; ★★ = ISO17025 accreditation, on other tests; ★★★ = ISO17025 accreditation, covering the test. **ACCREDITATIONS GRANTED BY IAF/ILAC/EA MEMBERS ONLY**

**Results:** ★ = participation to the 2012 Eurocomparison ; ★★ = participation to the 2013 Eurocomparison ; ★★★ = success in the last Eurocomparison (2014).

Last update : 05 Feb 2015

#### EN 45545 -2 tests covered by CERTIFER approval

	Oxygen Index ISO 4589-2	CFE ISO 5658-2	CHF ISO 9239-1	MARHE ISO 5660-1	Dsm / Ds(4) ISO 5659-2	VOF4 ISO 5659-2	CIT (FTIR) EN 45545-2 appC
<b>RST Rail System Testing GmbH</b> Walter-Kleinow-Ring 7 16761 HENNINGSDORF <b>DEUTSCHLAND</b> <a href="http://www.rst-labs.de">www.rst-labs.de</a> <a href="mailto:gert.schmidt@rst-labs.de">gert.schmidt@rst-labs.de</a> Tel: +49 (3302) 49982 11 Fax: +49 (3302) 49982 15	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>SEIFEL</b> ZAC de la Maison Neuve 8, rue Claude Chapel C.S. 51865 35418 SAINT MALO Cedex <b>FRANCE</b> <a href="mailto:Plavaud@seifel.fr">Plavaud@seifel.fr</a> Tel : +332 99 21 51 70 Fax : +332 99 21 39 41	Quality ★★★ Results ★★★	-	-	-	-	-	-
<b>SGS-CSTC Standards Technical Services</b> 301#, Sunlight Road, 2 Block, Sunlight Industry Zone, AnJi County, ZheJiang <b>CHINA</b> <a href="mailto:Allen.Zou@sgs.com">Allen.Zou@sgs.com</a> Tel : +86 (572) 5018827 Fax : +86 (572) 5018829	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	-	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>SP (Sveriges Tekniska)</b> Box 857 SE-501 15 Borås <b>SWEDEN</b> <a href="mailto:Anna.Bergstrand@sp.se">Anna.Bergstrand@sp.se</a> Tel : +46 (0)10 516 50 00 Fax : +46 (0)33 41 60 12	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★
<b>STRATIFORME INDUSTRIES</b> Laboratoire 570, rue du Pavé F-59235 BERSEE <b>FRANCE</b> <a href="mailto:ggoulley@stratiforme.com">ggoulley@stratiforme.com</a> Tel : 0033 (0)3 20 84 90 10 Fax : 0033 (0)3 20 59 28 00	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	-	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★	Quality ★★★ Results ★★★

## FIRE LABORATORIES

### approved by CERTIFER to perform tests according to EN 45545-2

CERTIFER quoted only tests on which laboratories listed below participated at least to one of the 3 last CERTIFER's round-robins, called 'Eurocomparison'.

**Quality:** ★ = ISO17025 ministerial approval; ★★ = ISO17025 accreditation, on other tests; ★★★ = ISO17025 accreditation, covering the test. **ACCREDITATIONS GRANTED BY IAF/ILAC/EA MEMBERS ONLY**

**Results:** ★ = participation to the 2012 Eurocomparison ; ★★ = participation to the 2013 Eurocomparison ; ★★★ = success in the last Eurocomparison (2014).

Last update : 05 Feb 2015

#### EN 45545 -2 tests covered by CERTIFER approval

	Oxygen Index ISO 4589-2	CFE ISO 5658-2	CHF ISO 9239-1	MARHE ISO 5660-1	Dsm / Ds(4) ISO 5659-2	VOF4 ISO 5659-2	CIT (FTIR) EN 45545-2 appC
<b>SYCHTA LABORATORIUM</b> Ul. Ofiar Stutthofu 90 72-010 POLICE <b>POLAND</b> <a href="mailto:zygmunt@syghta.eu">zygmunt@syghta.eu</a> Tel/ fax: (48) 091 317 0161	Quality ★ ★ ★ Results ★ ★ ★	Quality ★ ★ ★ Results ★ ★ ★	Quality ★ ★ ★ Results ★ ★ ★	Quality ★ ★ ★ Results ★ ★ ★	Quality ★ ★ ★ Results ★ ★ ★	Quality ★ ★ ★ Results ★ ★ ★	Quality ★ ★ ★ Results ★ ★ ★
<b>TGM Versuchsanstalt</b> Fachbereich Kunststoff-und Umwelttechnik WexstraBe 19-23 1200 WIEN <b>AUSTRIA</b> <a href="mailto:dieter.hohenwarter@tgm.ac.at">dieter.hohenwarter@tgm.ac.at</a> Tel: +43 1 33 126-0 Fax: +43 1 33 126-204	-	Quality ★ ★ ★ Results ★ ★ ★	-	Quality ★ ★ ★ Results ★ ★ ★	-	-	-